www.osram.us/traxon



Quick Ship Guide
2020

Our Brands

traxon e:cue

OSRAM

Introduction

The Quick Ship program from Traxon Technologies and e:cue Lighting Controls provides a targeted selection of high-demand cove lighting solutions without made-to-order lead times.

With even faster availability, Traxon's Quick Ship products will now be shipped within two (2) business days of order placement – ideal for short-lead opportunities looking for the best quality in LED cove lighting solutions.



Rules

The catalogued products shown represent the options that qualify for the Quick Ship program. Simply complete an order using any of the options below and your order will qualify for Quick Ship processing at no extra charge. This guide contains ordering codes only – for further product details, please refer to the individual product specifications at www.osram.us/traxon. All qualifying products will be processed as Quick Ship unless otherwise indicated on the order.

Quick Ship qualifying orders will ship within two (2) business days, excluding holidays and weekends. Lead time begins when Traxon confirms receipt of the purchase order.

Consult Traxon e:cue for options not shown in this guide. Major projects with large quantities may not apply for Quick Ship lead times, including projects that require significant Project Management attention and/or drawings.

Partial shipments may be required. Change orders will affect lead time.

Ambiance & Accent



Ordering Information

	Model #	IC #	Description	Max per Order
Cove Light AC DIM GII	MB.CC.1013001	AM024190055	COVELIGHT AC DIM GII 3W 1FT 3000K 120°x120° ETL	50
	MB.CC.1013501	AM024200055	COVELIGHT AC DIM GII 3W 1FT 3500K 120°x120° ETL	50
	MB.CC.4013001	AM024290055	COVELIGHT AC DIM GII 3W 4FT 3000K 120°x120° ETL	50
	MB.CC.4013501	AM024300055	COVELIGHT AC DIM GII 3W 4FT 3500K 120°x120° ETL	50
	MB.CC.1013002	AM024240055	COVELIGHT AC DIM GII 5W 1FT 3000K 120°x120° ETL	50
	MB.CC.1013502	AM024250055	COVELIGHT AC DIM GII 5W 1FT 3500K 120°x120° ETL	50
	MB.CC.4013002	AM024030055	COVELIGHT AC DIM GII 5W 4FT 3000K 120°x120° ETL	50
	MB.CC.4013502	AM024040055	COVELIGHT AC DIM GII 5W 4FT 3500K 120°x120° ETL	50
	MB.CC.1013012	AM058820055	COVELIGHT AC DIM GII 5W 1FT 3000K 60°x10° ETL	50
	MB.CC.1013512	AM058830055	COVELIGHT AC DIM GII 5W 1FT 3500K 60°x10° ETL	50
	MB.CC.4013012	AM058700055	COVELIGHT AC DIM GII 5W 4FT 3000K 60°x10° ETL	50
	MB.CC.4013512	AM058710055	COVELIGHT AC DIM GII 5W 4FT 3500K 60°x10° ETL	50
	MB.CC.1013004	AM262980055	COVELIGHT AC DIM GII 8W 1FT 3000K 120°x120° ETL	50
	MB.CC.1013504	AM262990055	COVELIGHT AC DIM GII 8W 1FT 3500K 120°x120° ETL	50
	MB.CC.4013004	AM263040055	COVELIGHT AC DIM GII 8W 4FT 3000K 120°x120° ETL	50
	MB.CC.4013504	AM263050055	COVELIGHT AC DIM GII 8W 4FT 3500K 120°x120° ETL	50
	MB.CC.1013014	AM263410055	COVELIGHT AC DIM GII 8W 1FT 3000K 60°x10° ETL	50
	MB.CC.1013514	AM263420055	COVELIGHT AC DIM GII 8W 1FT 3500K 60°x10° ETL	50
	MB.CC.4013014	AM263530055	COVELIGHT AC DIM GII 8W 4FT 3000K 60°x10° ETL	50
	MB.CC.4013514	AM263540055	COVELIGHT AC DIM GII 8W 4FT 3500K 60°x10° ETL	50
	MB.CC.1013005	AM263840055	COVELIGHT AC DIM GII 12W 1FT 3000K 120°x120° ETL	50
	MB.CC.1013505	AM263850055	COVELIGHT AC DIM GII 12W 1FT 3500K 120°x120° ETL	50
	MB.CC.4013005	AM263890055	COVELIGHT AC DIM GII 12W 4FT 3000K 120°x120° ETL	50
	MB.CC.4013505	AM263900055	COVELIGHT AC DIM GII 12W 4FT 3500K 120°x120° ETL	50
	MB.CC.1013015	AM262530055	COVELIGHT AC DIM GII 12W 1FT 3000K 60°x10° ETL	50
	MB.CC.1013515	AM262540055	COVELIGHT AC DIM GII 12W 1FT 3500K 60°x10° ETL	50
	MB.CC.4013015	AM262650055	COVELIGHT AC DIM GII 12W 4FT 3000K 60°x10° ETL	50
	MB.CC.4013515	AM262660055	COVELIGHT AC DIM GII 12W 4FT 3500K 60°x10° ETL	50
	MB.AC.0501100	AB440080055	COVELIGHT AC DIM GII STARTER CABLE 3m/10ft	10
	MB.AC.0501200	AB440110055	COVELIGHT AC DIM GII INTERCONNECTION CABLE 1m/3ft	10
		AM335500055	COVELIGHT AC DIM GII WIRING BOX (starter cable sold separately)	10
Cove Light AC HO RGBW	MB.CW.061300A	AB316380055	COVELIGHT AC HO-6 RGBW (12") 120°x120° 120V only	50
	MB.CW.1813001	AB316480055	COVELIGHT AC HO-18 RGBW (36") 120°x120° Multi-PxL 120V only	50
	MB.AC.2000700	AB300080055	COVELIGHT AC HO RGBW DATA INJ 100-277V	5
	MB.AC.2000100	AA741560055	COVELIGHT AC HO RGBW STARTER CABLE 3m/10ft	5
	MB.AC.2000300	AA741580055	COVELIGHT AC HO RGBW INTERCONNECTION CABLE 1m/3ft	10
	MB.AC.2000500	AM009580055	COVELIGHT AC HO RGBW INTERCONNECTION CABLE 3m/10ft	10

Traxon Technologies, together with it's control brand, e:cue, is a global leader in dynamic lighting and control systems, providing complete, sustainable and intelligent lighting solutions.
For more information, please visit www.osram.us/traxon.

Traxon Technologies maintains a global presence in 68 countries throughout Asia Pacific, Europe, the Americas, the Middle East, and Africa.

Traxon Technologies
200 Ballardvale Street
Wilmington, MA 01887
Telephone: (978) 570-3000

Email: Information.Traxon@traxontechnologies.com

Our Brands

traxon e:cue

OSRAM

© 2020 TRAXON TECHNOLOGIES - AN OSRAM BUSINESS. ALL RIGHTS RESERVED. TRAXON IS A TRADEMARK OF TRAXON TECHNOLOGIES.